


Catene e accessori di acciaio inossidabile - Grado 6

Stainless steel chain and accessory system in G6

Campanella semplice AWI


AWI Master link



Tipo Type	Portata 0°-45° WLL 0°-45° Kg	Per ganci DIN 15401 Fits on single hook acc. to DIN 15401 n°	Dimensioni Dimensions				Peso Weight Kg	Campanella per catena Ø Master link for chain Ø	
			d mm	t mm	w mm	s mm		1 br.	2 br.
AWI 8-6	560	0,5	8	60	35	-	0,08	4	4
AWI 10-6	850	1,6	10	80	50	-	0,14	5	5
AWI 13-6	1600	2,5	13	110	60	10	0,34	6/7/8	6
AWI 16-6	2600	2,5	16	110	60	14	0,53	10	7/8
AWI 18-6	3500	5	18	135	75	14	0,83	-	10
AWI 22-6	6300	6	23	160	90	17	1,60	13/16	13
AWI 26-6	8900	8	27	180	100	20	2,46	20	16
AWI 32-6	13200	10	32	200	110	26	3,86	-	20
AWI 36-6	14700	16	36	260	140	29	6,22	-	-
AWI 45-5	12000	25	45	340	180	-	12,82	26	-

Campanella tripla VWI


VWI Master link assembly



Tipo Type	Portata 0°-45° WLL 0°-45° Kg	Assemblaggio Consisting of	Per ganci DIN 15401 Fits on single hook acc. to DIN 15401 n°	Dimensioni Dimensions							Peso Weight Kg
				d mm	d1 mm	e mm	t mm	t1 mm	w mm	w1 mm	
VWI 4-6	840	AWI 10-6 + 2 BWI 9-6	1,6	10	9	124	80	44	50	20	0,28
VWI 5-6	1300	AWI 13-6 + 2 BWI 10-6	2,5	13	10	154	110	44	60	20	0,52
VWI 6/7-6	2600	AWI 16-6 + 2 BWI 13-6	2,5	16	13	164	110	54	60	25	0,91
VWI 8-6	3350	AWI 18-6 + 2 BWI 16-6	5	18	16	205	135	70	75	34	1,64
VWI 10-6	5250	AWI 22-6 + 2 BWI 20-6	6	23	20	245	160	85	90	40	3,02
VWI 13-6	8900	AWI 26-6 + 2 BWI 22-6	8	27	23	295	180	115	100	50	4,78
VWI 16-6	13200	AWI 32-6 + 2 BWI 26-6	10	32	27	340	200	140	110	65	7,98

Campanella tripla VAWI per brache di fune

VAWI Master link assembly for wire rope slings



Tipo Type	Portata 0°-45° WLL 0°-45° Kg	Assemblaggio Consisting of	Per ganci DIN 15401 Fits on single hook acc. to DIN 15401 n°	Dimensioni Dimensions							Peso Weight Kg
				d mm	d1 mm	e mm	t mm	t1 mm	w mm	w1 mm	
VAWI 6-6	1850	AWI 16-6 + 2 AWI 13-6	2,5	16	13	220	110	110	60	60	1,21
VAWI 7/8-6	3350	AWI 18-6 + 2 AWI 16-6	5	18	16	245	135	110	75	60	1,98
VAWI 10-6	5250	AWI 22-6 + 2 AWI 22-6	6	23	23	320	160	160	90	90	4,80
VAWI 13-6	8900	AWI 26-6 + 2 AWI 26-6	8	27	27	360	180	180	100	100	7,38
VAWI 16-6	13200	AWI 32-6 + 2 AWI 32-6	10	32	32	400	200	200	110	110	12,42